point .	latatude	longitude	state northing	state easting	Datum	New Directions	elevations
L003	37 23 48.36911	79 06 45.75577	3668597.384	11304930.438		From the intersection of Concord turnpike and Rt. 460, turn onto Concord Turnpike and go 1.0 miles to the bottom of the hill and the disk will be on the right. The disk is 3.0 ft south of the cyclone fence, 30.7 ft west of power pole # 32 I, and 45.5 ft northwest of power pole #106-1033	521.66
L004	37 22 32.99244	79 09 03.87830	3661048.590	11293732.688		From Hwy 29 in Lynchburg, take the Odd Fellows Road exit and head east for 1.2 mi. (1.94 km) to the station on the left. The station is located 21.0 ft. northeast of the centerline of the road, 20.7 ft northwest of pole # 129-2799, 26.6 ft. northwest of telephone riser # 60, and 76.0 ft southeast of the centerline of the entrance to 3107 Odd Fellows Road.	845.63
L005	37 21 6.61726	79 11 27.27746	3652395.159	11282094.624	NIAD 02	From the intersection of Rout 29, (Wards Road), and Wards Ferry Road, go west on Wards Ferry Road to the intersection of Wards Ferry Rd. and Savannah Rd. The disk will be on the right. The disk is 56.0 ft west of pole # 1037-C, 79.4 ft south of a fire hydrant, 64.6 ft southeast of the stop sign on Savanna Ave, and 17.0 ft from pole # 176-1680	899.61
L006	37 24 21.44966	79 10 17.32170	3672059.181	11287882.893	NIAD 02	From the corner of Memorial Ave. and Lakeside Dr. turn right onto Lakeside Dr. Go to the entrance to the lower level of Pitman Plaza and turn left into Pitman Plaza. The station is on the right in the island. The disk is 27.3 ft north of the sign, 17.2 ft north of the yield sign, 79.9 ft southwest of a power pole, and 22.2 ft east of the centerline of the entrance lane.	751.05

L009	37 26 21.75327	79 11 31.53737	3684269.656	11281984.352	NAD 83	From the intersection of Rivermont and Link Road, go East on Rivermont to the first entrance on the right into the parking lot for Oakwood Country Club, the disk will be on the left as you enter the parking lot. The disk is 16.5 ft south of the centerline of the eastbound lane of Rivermont, 16.9 ft northwest of a Country Club sign, 56.6 ft northwest of a metal light pole, 51.5 ft southwest of pole #5635-15. The Disk is 2 ft from the back of the sidewalk, and 6 ft from the back of curb at the entrance.	785.58
L010	37 25 2.61402	79 11 46.04419	3676274.288	11280755.434	NAD 83	From the intersection of Langhorne Rd. and Cranehill Dr. head West on Cranehill to Linkhorne Rd. Turn onto Linkhorne and go to the bend at the top of the hill and the disk is on the left. The disk is 5.1 ft north of the end of the cyclone fence, 18.2 ft south of pole # 8035-98, 26.8 ft east of the centerline of Linkhorne Rd, 69.1 ft east of a hydrant, and 1 ft behind the walk.	717.12
L011	37 22 43.77379	79 10 18.78782	3662181.347	11287694.298	NAD 83	On route 29 North at River Ridge mall, take 29 North for 1.3 mi. to the station near pole # N 98, 1 mi. before the Odd Fellows exit. The disk is 23.1 ft south of light pole # N 98 (red number), 30.9 ft east of the centerline of the northbound lanes, 209.1 ft south of the Odd Fellows Road exit sign, and 109.5 ft south of the guard rail end.	751.17
L013	37 21 42.72367	79 12 36.44208	3656088.269	11276537.867	NAD 83	From the intersection of Leesville Road and Timberlake Road go west on Timberlake Rd. 525 feet to the lower entrance to 7114Timberlake Road. The disk is on the lower side of the entrance behind the curb. The disk is 22.7 ft southeast of the centerline of the northbound lanes, 35.5 ft north of Chung King Restaurant sign, and 23.4 ft northeast of power pole 151-736.	848.82

L015	37 20 38.89080	79 14 04.04686	3649686.572	11269415.539		On Timberlake Road at the intersection with Greenview Drive, the mark is on the Southwest side of the intersection near the traffic light control box. The disk is 40.2 ft east of a Telephone manhole, 23.0 ft southwest of the centerline of the east bound lanes of Greenview Drive, 56.0 ft southeast of the centerline of the northbound lanes of Timberlake Road, 3.2 ft behind the curb, and 25.1 ft northwest of pole # 175-366.	925.20
L016		79 12 43.04416	3686051.542	11276230.843		From the intersection of Link Road and Boonsboro Road head West on Boonsboro 1.3 miles to 4605 Boonsboro Rd. on the left and the mark. The disk is 14.6 ft from the centerline of the eastbound lane of Boonsboro Road, 68.7 ft northwest of pole # 1592-A, 53.9 ft southwest of pole # 1592 , and 3.8 ft northeast of the north edge of the sidewalk.	784.02
L018	37 24 57.01736	79 14 00.27005	3675790.240	11269923.323	NAD 83	DISK IS MISSING	719.69
L019	37 22 32.34678	79 13 50.73130	3661152.740	11270579.545		From the intersection of Graves Mill Road and the Lynchburg Expressway, go west on Graves Mill Road 0.5 mi. to the station on the right. The disk is 30.6 ft north of the centerline of the road, 22.0 ft southwest of a barbed wire fence, 88.2 ft north of pole # 127-989, and 19.6 ft southeast of a storm drain manhole cover, 4.4 ft from the back of curb.	710.98
			·			At the intersection of Boonsboro Road and the	

L026	37 25 26.40865	79 09 33.07765	3678603.830	11291498.398	NAD 83	On Hollins Mill Road at the Blackwater Natural area parking lot the disk is behind the fence on the West side of the parking lot. The disk is 3.4 feet from the edge of the parking lot, 63.9 ft northwest of BLACKWATER CREEK NATURAL AREA sign, 82.5 ft southwest of pole #8120 31, and 65.5 ft north of southwest end of wooden fence.	546.35
L028	37 24 28.28902	79 07 56.88996	3672672.648	11299217.634	NAD 83	DISK IS MISSING.	516.09
L029	37 23 56.77500	79 09 01.31032	3669520.709	11293998.334	NAD 83	At the Kemper Street interchange with Route 29, the disk is near the Southeast corner of the bridge over Rt. 29. The disk is 19.1 ft east of the centerline of US 501 northbound, 4.6 ft south of the bolt at the end of the guard-rail support, 6 ft behind the back of curb, 74.2 ft north of a metal light pole on exit ramp, and 36.1 ft from the light pole on the bridge.	685.24
L030	37 23 47.05809	79 13 41.90074	3668703.292	11271350.577	NAD 83	This disk was RESET (4/23/96) in front of the Fire Station #7 on Rt. 221 (Lakeside Drive) The disk is 36.5 ft north of power pole #103-1124, 20.6 ft south of west end of brick FIRE STATION 7 sign, 13.2 ft southwest of a disk stamped 118-0071 VDOT, and 29.3 ft west of a sewer man-hole.	838.49 Reset
L031	37 25 31.78318	79 13 59.66009	3679305.981	11269999.839	NAD 83	The station is located on US 501 by-pass between Boonsboro Rd. and the Wiggington Road off ramp. From the intersection of Boonsboro Rd. and 501 by-pass, go south on 501 for 1.1 mi. and the station is on the right. The disk is 41.1 ft southwest of the centerline of 501, 76.4 ft west of a 55 MPH speed limit sign on the opposite side of the road, and 90.0 ft southwest of the end of a guard rail on the opposite side of the road.	698.66

L032	37 22 38.45377	79 13 00.73447	3661739.442	11274619.606	NAD 83	From the Graves Mill Road interchange on the Lynchburg expressway, go east on Graves Mill Road 0.15 mi. to the stop sign, turn right and go 0.1 mi. and the disk will be on the right overlooking the Chevrolet Dealer. The disk is 25.6 ft southwest of the centerline of the road, 90.7 ft southeast of a 35 MPH speed limit sign, 25.8 ft east of a water meter, 114.5 ft northwest of the northwest corner of an electric transformer, and 189.7 ft southeast of an entrance to the car dealership.	777.14
L033	37 22 54.14274	79 12 09.60115	3663295.144	11278758.430		Drive, go northwest on Sandusky to the "T" intersection. Turn left onto Pawnee Drive for 0.15 mi. to Sandhill Drive on the right. Turn onto Sandhill for 0.25 mi. to Apache Lane on the left. Turn left and go 0.20 mi. to the entrance to Sandusky Elementary School. The disk is in the median of the parking lot on the northwest side of the school. The disk is 6.4 ft southeast of a metal light pole, 40.7 ft southeast of Apache Lane, 147.6 ft northwest of the northwest corner of the school, 0.8 ft behind the back of curb, 16.9 ft from the back corner of the nearest parking space, and 13.3 ft southwest of the centerline of the entrance road to the school.	769.52
L034	37 27 31.28314	79 12 20.42623	3691330.960	11278094.304	NAD 83	From the intersection of Boonsboro and Trents Ferry Road go 1.15 mi. on Trents Ferry Rd to Heritage Drive on the left. Turn left and go 80.0 ft to the station on the left. The disk is 19.6 ft south of the centerline of Heritage Drive, 62.9 ft southeast of a black metal light pole, 72.9 ft northwest of the mailbox for 615 Trents Ferry Rd, 30.6 ft southeast of the concrete steps to the house, and 1 ft behind the back of curb.	747.69

L035	37 24 31.23153	79 12 58.04002	3673143.789	11274923.602	NAD 83	From the Intersection of Rt. 221 (Lakeside Drive) and the Lynchburg Expressway and Old Forest Road, go 0.9 mi. on Old Forest Road to King Drive on the right. Turn left into the shopping center and the station is on the right. The disk is 28.6 ft northwest of the centerline of the west bound lanes, 31.6 ft west of a fire hydrant, 58.0 ft southwest of the southwest corner of a building, and 27.5 ft east of the entrance to the shopping center. At the intersection of Leesville Road and Greenview	784.71
L036	37 20 2.01709	79 12 54.21088	3645914.017	11275026.288	NAD 83	Drive the station is on the northwest corner of the intersection. The disk is 31.6 ft northwest of the centerline of the southbound lanes of Leesville Road, 38.2 ft northeast of the centerline of the westbound lanes of Greenview Drive, 3.4 ft behind the curb and gutter, 24.0 ft southwest of pole # 175-78, and 16.3 ft southeast of a traffic signal pole.	999.60
L037	37 20 32.04653	79 12 22.85049	3648932.013	11277581.595	NAD 83	From the intersection of Timberlake Road and Leesville Road, go 1.4 mi. on Leesville Rd to Del Ray Circle on the left. Turn left onto Del Ray Circle go 160 ft to the station on the left in a row of Pine trees. The disk is 18.6 ft northeast of the centerline of Del Ray Circle, 3.0 ft southwest of a chain-link fence, 78.4 ft northwest of pole # 176-206, and 79.5 ft southeast of a 25MPH speed limit sign. From the intersection of Timberlake Road (US 460) and	949.86
L038	37 21 36.87551	79 13 40.32010	3655536.085	11271376.604	NAD 83	Old Graves Mill Road go 0.45 mi. on Old Graves Mill Road to Willow Drive on the right. Turn right and go 0.1 mi. to the station on the left. The disk is 16.4 ft northwest of the centerline of Willow Drive, 44.4 ft southwest of the center of transformer # 151905, 33.1 ft east of telephone box # 1635T, 20.5 ft southeast of a water meter cover, and 0.8 ft behind the back of curb.	841.01

L039	37 23 33.32749	79 06 11.93199	3667058.529	11307649.980	1111000	The Disk is located at the Lynchburg City Waste Management Office. To reach the station from the intersection of US 501 (Campbell Ave.) and US 460, Go East on 460 for 1.8 miles to the intersection with Concord Tnpk. Turn left onto Concord Tnpk. And go 0.25 miles to the intersection with Nickerson Road. The disk is in the northeast corner of the intersection. The disk is 80.7 ft north of the centerline of Nickerson Rd., 64.6 ft east of the centerline of Concord Tnpk., 5.5 ft south of the flagpole, and 41.2 ft southwest of the southwest corner of the building. The disk is located at the intersection of Mayflower	760.12
L041	37 21 55.04703	79 10 18.65303	3657253.197	11287670.102	NAD 83	Drive and Candlers Mountain Road, in the southeast section of the City. The disk is 26.9 ft southwest from the end of the guardrail, 37.6 ft southwest of the edge of pavement for the north-bound lanes, 66.5 ft southeast of the traffic light pole.	858.77
L042	37 21 24.55242	79 10 11.89944	3654165.195	11288193.391	NAD 83	To reach the station from the intersection of Mayflower Drive and Candlers Mountain Road, head south on Candlers Mt. Rd. for 0.7 mi. to the overpass of Rt. 460, the station is to the right of the road just before the bridge. The disk is 9.5 ft from the northwest corner of the bridge, and 4.5 ft behind the guardrail. From the intersection of Fort Ave. and Wythe Road go	903.29
L043	37 23 38.23677	79 09 58.41946	3667677.934	11289377.090		south on Fort Ave to the driveway entrance to the Stadium / Ball field on the left. Turn left and enter through the right gate and go about 500 ft to the disk on	808.00

L044	37 22 54.54921	79 10 52.46363	3663290.623	11284984.205	NAD 83	The station is located at the #3 Fire Station on Fort Avenue and Randolph Lane. The disk is 14.9 ft northwest of power pole #6022, 79.4 ft south of the southeast corner of the Fire Station, 40.5 ft east of the APCO pole #28-D1-6200 on Randolph Lane, and 8.6 ft behind the sidewalk on Fort Ave.	852.60
L045	37 22 55.98468	79 08 21.71831	3663350.705	11297151.290	NAD 83	To reach the station from the intersection of Rt. 460 and Rt. 501 (Campbell Ave) near the eastern City limits. Head west on Campbell Ave. for 0.6 mi. to Ford St. on the left. The station is on the west side of Ford St near the intersection. The Disk is 50.9 ft southwest of power pole #872, 18.9 ft northwest of the centerline of Ford St, 82.3 ft southeast of power pole #871-P,	845.05
L046	37 23 34.17451	79 08 13.52608	3667208.656	11297838.520	NAD 83	Ave.) head west on Campbell Ave 0.2 mi. to Florida Ave on the right. Turn right and proceed 0.6 mi. to the Lynchburg Detention Home and the station is on the right. The Disk is 28.3 ft northeast of the centerline of Florida Ave., 158.2 ft northwest of the centerline of the driveway to the Detention Home, 93.7 ft southeast of APCO pole #129-C1-4030, and 332.75 ft southeast of a tack in APCO pole # 129-T-4026 At the intersection of Timberlake Road and Laxton	699.76
L048	37 21 10.29985	79 14 52.51294	3652893.882	11265527.256	NAD 83	Road, just south of the City limits, head west on Laxton Road 0.7 mi. to the intersection where Laxton Rd. makes a right turn. Follow Laxton Rd. and go 0.4 mi. to 1707 Laxton Road and the station on the left. The Disk is 53.1 ft southwest of power pole # 175-1044, 4.7 ft northeast of the mailbox for 1700 Laxton Rd, 11.4 ft west of the centerline of Laxton Rd, and 15.7 ft from a line extended from the north sidewall of 1707 Laxton Rd.	868.20

L049	37 21 57.99184	79 14 55.73251	3657719.325	11265305.580		To reach the station from the intersection of Lakeside Drive and Old Forest Road at the Lynchburg Expressway head west on Lakeside Dr. (Rt. 221) 2.5 mi. to Enterprise Drive on the right. Turn right and follow Enterprise Dr 0.15 mi. to Dillard Drive and the station on the right. The disk is 8.1 ft northwest of the north corner of a water vault, 4.3 ft north of the west corner of the vault,35.7 ft west of the north corner of the brick company sign,	843.72
L050	37 26 16.46231	79 09 45.34631	3683673.089	11290544.325	NAD 83	The station is located off Rivermont Ave in Riverside Park. The Park is approximately 1.8 mi. from the end of the Rivermont Ave bridge. Enter the park from Ash St. and the Station is on the far side of the parking lot. The disk is 9.6 ft north of the north edge of the parking lot, 37.6 ft from the northeast corner of the parking lot, 71.5 north of pole # 57-2568.	745.78
L051	37 24 47.85252	79 08 37.60768	3674673.464	11295946.079	NAD 83	The station is located on the southwest side of Court Street between the School Administration Building and the Public Safety Building. The disk is 21.7 ft southeast of the flagpole, 1.5 ft from the back edge of the sidewalk, and 57.8 ft from the northeast corner of the School Administration Building.	715.98
L052	37 24 54.03438	79 10 15.36543	3675353.601	11288064.150	NAD 83	Ave. and Langhorne Road head northwest on Langhorne for 0.7 mi. to Tate Springs Road. Turn right and go 0.2 mi. on Tate Springs Road to the station in the median on the left. The disk is 15.9 ft northwest of the centerline of the north bound lanes, 19.2 ft southeast of the centerline of the south bound lanes, 35.0 ft northeast of a Dogwood tree, 55.9 ft from the corner of the wall at the steps to Tate Springs Medical Center, and 68.8 ft northeast of pole # 04-5050	729.11

L053	37 25 28.23562	79 12 19.04414	3678885.355	11278112.755		The station is located at the intersection of Link Roar and Cranehill Drive. The disk is on the east side of the intersection, 2.9 ft behind the back of curb, 26.3 ft north of the stop sign on Cranehill,, 33.6 ft from a water valve in the intersection, 24.2 ft from the centerline of Link road, and 55.7 ft southeast of pole #963-I	706.39
L054	37 24 5.99294	79 11 22.93104	3670534.089	11282578.088	NAD 83	From the intersection of Memorial Avenue and Oakley Avenue go northwest on Oakley to the traffic light at Lakeside Drive. Turn left onto Lakeside and go 0.7 mi. to Faculty Drive and the station on the left. The disk is 39.2 ft northeast the concrete column, 22.6 ft northeast of power pole # 104-3071, 80.67 ft northwest of a VDOT disk stamped 118-0040, and 5.10 ft behind the existing end of curb on Lakeside.	725.02
L055	37 24 30.55128	79 13 46.30653	3673104.806	11271029.065	NAD 83	The station is located on the east side of the rt. 501 by- pass between Old Forest Road and Wiggington Road. The disk is 25.4 ft east of the centerline of the road, 11.9 ft southeast of the center of the storm drain, 4.4 ft behind the guard rail, and 303.9 ft south of the Wiggington Road Exit 1/2 mile sign. From the intersection of Timberlake Road (Rt. 460)	702.91
L056	37 21 22.91195	79 14 27.42350	3654153.446	11267562.909		Business) and Laxton Road go northwest on Laxton Road to the traffic light with Enterprise Drive. Turn right onto Enterprise and go 0.6 mi. to the station on the left in the median. The disk is 40.0 ft east of light pole # 2518, 49.7 ft west of light pole #2517, 14.0 ft from the centerline of the southbound lanes and right at the back end of the concrete island in the landscaped area.	830.28

AZ 04	37 22 43.64718	79 09 15.58088	3662132.710	11292795.610	NAD 83	From the intersection of Odd Fellows Road and Rt. 29, head southeast on Odd Fellows Road for 1.0 mi. to the station on the left. This is 0.4 mi. past Mayflower Drive. The disk is 21.0 ft northeast of the centerline of Odd Fellows Road, 100.6 ft northwest of pole # 129-2743, and 60.8 ft northeast of a fire hydrant.	805.69
AZ 05	37 20 56.76662	79 10 42.79339	3651372.850	11285679.030	NAD 83	From the intersection of Candlers Mountain Road and the Lynchburg Expressway (Rt. 29) head southeast on Candlers Mountain Road to the intersection with Mayflower Drive. Go straight and take the westbound ramp for Rt. 460. Go 1.0 mi. to the station on the left in the median. The Disk is 7.7 ft behind the guardrail, 45.3 ft southwest of the end of the guardrail, 10.1 ft northeast of the northwest corner of a concrete ditch, and 29.8 ft east of the centerline of the west bound lanes.	874.60
AZ 06	37 24 30.36291	79 10 25.31666	3672965.240	11287244.290	NAD 83	To reach the station from the intersection of Langhorne and Memorial, go northwest on Langhorne Road for 0.45 mi. to Westerly Drive on the left. Turn left and go to the end of the street and enter the Meadows Apartments complex. The station is on the left just past building # 300 behind the sidewalk. The Disk is 15.6 ft northwest of the corner of building #300, 8.9 ft northeast of a light pole, 41.3 ft northeast of building #500, and 2 ft behind the sidewalk.	756.96
AZ 09			3683867.011	11281010.064	NAD 83	DISK IS MISSING	749.92

				1	1		
AZ 10	37 25 08.08020	79 11 36.97831	3676821.742	11281490.823	NAD 83	To reach the station from the intersection of Langhorne Road and Cranehill Drive, head northwest on Cranehill for 0.2 mi. to the station on the left. The disk is located 1.2 ft behind the curb, 19.3 ft from the back of curb and face of sidewalk, 49.0 ft from pole #80-B4-3580, and 8.6 ft in front of a chain link fence.	681.67
AZ 11	37 22 27.23152	79 10 21.42700	3660509.83	11287469.37	NAD 83	The station is located on the east side of the Lynchburg Expressway near the northern end of the C. B. Fleet property. The disk is located 13.6 ft south of light pole # N 90, 87.1 ft southwest of telephone pedestal #214x39, and 32.1 ft east of the centerline of the north bound lanes.	783.95
AZ 12	37 23 55.02907	79 12 58.32292	3669482.55	11274873.00	NAD 83	The station is located on the north side of Lakeside Drive at the southwest corner of Forest Hill Burial Park, and 0.45 mi. east of the intersection of Lakeside Drive (Rt. 221) and Old Forest Road at the Lynchburg Expressway. The disk is 42.0 ft west of APCO pole #103-D4-1106, 51.5 ft east of a concrete monument at the entrance to Sandrof Auto Body, 5.2 ft from the corner of the curb in the parking lot, and 18 ft north of the edge of the road.	804.64
AZ 15	37 20 26.01633	79 14 14.23037	3648390.91	11268583.09	NAD 83	The station is located in Campbell County on Timberlake Road 0.3 mi. west of the intersection with Greenview Drive. The disk is located in the median between the travel lanes of Timberlake Road at Beechwood drive,	925.10
AZ 16	37 26 47.85846	79 12 59.05414	3686962.53	11274946.65	NAD 83	To reach the station from the intersection of Rivermont Ave. Link Road and Boonsboro Road go west on Boonsboro for 1.55 mi. to 4811 Boonsboro Road and the station on the left. The disk is 8.2 ft in front of the sidewalk, 24.0 northeast of pole #1593E, and 10.8 ft southwest of the centerline of the east bound lane.	799.93

AZ 18	37 24 47.03222	79 13 40.45591	3674768.00	11271513.93	NAD 83	The station is located on the north side of Wiggington Road 0.3 mi. east the intersection of Wiggington Road and the Lynchburg Expressway Northwest Extension (501 By-Pass), across from the guard-rail to the old road scar. The disk is 2.5 ft east of a concrete ditch, 53.7 ft north of the end of the guard-rail, and 17.8 ft southeast of APCO pole #103-C1-1249,	715.04
AZ 19	37 22 37.44650	79 14 07.62848	3661679.10	11269219.75	NAD 83	To reach the station from the Lynchburg Expressway and Graves Mill Road, go west on graves Mill Road for 0.8 mi. to the station on the right and Bausch & Lomb's entrance on the left. The disk is 6.0 ft behind the curb, 36.6 ft southwest of a storm inlet manhole cover, and 29.8 ft southeast of AEPCO pole # 127-B4-980.	787.36
AZ 24	37 26 17.83869	79 14 05.54234	3683967.61	11269561.64	NAD 83	To find the station from the intersection of Boonsboro Road and the 501 By-pass, head south on the By-pass for 0.25 mi. and the station on the right. The disk is 29.1 ft northwest of the centerline of the highway, 98.8 ft south of the end of the guard-rail, From the intersection of Bedford Ave. and Hollins Mill	789.88
AZ 26	37 25 32.71450	79 09 35.93029	3679243.20	11291272.76	NAD 83	From the intersection of Bedford Ave. and Hollins Mill Road head downhill on Hollins Mill Rd. for 0.6 mi. to the station on the right just north of the bridge at the Dam. The disk is 2.8 ft from the edge of the road, 20.4 ft northeast of a rock wall,38.0 ft northwest of the end of the guard-rail, 20.6 ft north of a No Parking sign, and 46.5 ft southwest of power pole #100,	550.05
AZ 28	37 24 36.24293	79 08 06.95120	3673482.54	11298411.32	NAD 83	To reach the station form the intersection of Main and Washington Streets go downhill on Washington. After crossing the Railroad the station is 0.1 mi. on the right between the road and the tracks. The disk is 70.0 ft from Railroad milepost 146, 18.8 ft south of power pole #105-4525.	520.56

AZ 29	37 24 04.27928	79 08 28.76963	3670261.71	11296629.13	NAD 83	The station is located on the Lynchburg Expressway (Rt. 29) at the north-bound Grace street exit in the island between the on and off ramps. The disk is 58.8 ft from the center of a DI,19.2 ft southeast of a 6" Maple, 41.4 ft northwest of the back of curb at the tip of the island, and 59.9 ft west of a light pole # N143.	698.29
AZ 30 <i>A</i>	37 23 51.10496	79 13 45.11349	3669114.58	11271094.50	NAD 83	The station is located on Jefferson Ridge Parkway near Rt.221 at the Fire Department vehicle maintenance shop behind the #7 Fire Station.	837.24
AZ 31	37 25 51.95726	79 14 08.75007	3681352.04	11269282.55	NAD 83	From the intersection of Boonsboro Road and Rt. 501 By-Pass go south on Rt. 501 By-Pass for 0.7 mi. to the station on the right. The disk is 26.5 ft southwest from the center of a storm drain, 35.6 ft southwest of the centerline of the roadway, and 148.6 ft north of the end of a guard-rail.	715.81
AZ 32	37 22 37.52960	79 13 16.05290	3661655.39	11273382.53	NAD 83	The station is located on the west side of Graves Mill Road between the bridge over the Lynchburg Expressway and the entrance to the Salt Building lot. The disk is 28.5 ft west of the center of a storm drain manhole cover, 65.0 ft northeast of power pole # 127-1020,	752.02
AZ 33	37 22 48.61428	79 12 00.72415	3662730.69	11279470.71	NAD 83	To reach the station from the intersection of Fort Ave. and Sandusky Dr. go northwest on Sandusky to the "T" intersection and turn left onto Pawnee for 0.15 mi. to Sandhill, turn right and go 0.25 mi. to Apache Ln. turn left onto Apache and go 0.2 mi. to the station on the left on the school property. The disk is 5.6 ft north of a chain-link fence, 46.6 ft northwest of the intersection of the chain-link fences, 18.3 ft south of the back of walk, 12.6 ft southwest of a sign, and 63.8 ft southwest of power pole # 1437A.	782.24

AZ 34	37 27 31.25896	79 12 30.61659	3691334.67	11277272.70		From the intersection of Boonsboro Rd. and Trents Ferry Rd. go north on Trents Ferry Rd 1.15 mi. to Heritage Dr. turn left and go 0.15 mi. to the station on the right at 4720 Heritage Dr. The disk is 0.4 ft behind the curb, 3.5 ft from the beginning of the asphalt paving for the driveway, 23.4 ft east of the mailbox for 4720 Heritage, and 29.7 ft southeast of transformer #12843-100.	735.33
AZ 35	37 24 23.38523	79 13 11.19754	3672358.31	11273856.04	NAD 83	The station is located at the intersection of Old Forest Road and Wiggington Road on the north side. The disk is 10.3 ft west of power pole 2208C, 10.4 ft from the center of the manhole access to the storm inlet, and 3.8 ft behind the back of curb.	798.24
AZ 36	37 20 41.27954	79 13 47.77660	3649917.97	11270731.17	NAD 83	Drive go northwest on Greenview for 1.15 mi to Frederick Drive, turn right and go 0.2 mi to the intersection with Watkins Place and the station on the northeast corner. The disk is 7.2 ft west of the street sign, 21.9 ft northwest of a fire hydrant, 4.0 ft east of the edge of pavement,23.6 ft northeast of the centerline of Watkins Place, and 21.3 ft southeast of the centerline of Frederick Drive.	869.33
AZ 37	37 20 45.35089	79 12 21.70085	3650276.87	11277764.49	NAD 83	The station is located on Leesville Road at the northwest corner of the Burton Creek Apartments property. The disk is 25.9 ft south of the storm inlet manhole cover,61.5 ft northwest of the apartment building, 34.1 ft southwest of power pole # 176-107	905.93

AZ 38	37 21 40.95706	79 13 36.03242	3655946.21	11271725.92		From the intersection of Timberlake Road and Old Graves Mill Road, go northwest on Old Graves Mill Rd. for 0.45 mi to Willow Drive on the right. Turn right and go 0.2 mi to the station on the right. The disk is 13.3 ft west of a water meter cover, 1.2 ft north of the asphalt edge of the driveway, 17.1 ft southeast of the centerline of Willow Dr. and 28.9 ft north of the center of electrical transformer # 151-885	812.96
AZ 39	37 23 38.38369	79 06 15.60813	3667571.798	11307356.606	NAD 83	From the intersection of Concord Tnpk. and Rt. 460, go north on Concord Tnpk. For 0.35 mi to the station on the right behind the guard-rail. The disk is 8.9 ft northwest of AEP pole #130-A3-137, 8.0 ft northeast of the edge of pavement, and 57.5 ft northwest of the end of the guard-rail.	744.50
AZ 41	37 21 44.83346	79 09 57.73044	3656208.26	11289351.77	NAD 83	To reach the station from the Lynchburg Airport in Campbell County head north on Rt. 29 to Rt. 460 East. Head east on Rt.460 and take the LEFT exit for Candlers Mountain Road. The station is on the left side of the road just past the bridge over Rt. 460 West. The disk is 6.7 ft behind the guard-rail, and 134.4 ft northwest of the northwest corner of the bridge.	886.69
AZ 42	37 21 16.01865	79 10 18.87340	3653306.12	11287624.22	NAD 83	The station is in the median of Rt. 460 opposite the exit/on ramps to Rt. 460 West at Ericsson Drive. The disk is 65.9 ft southeast of the centerline of the west bound lanes of Rt. 460, and 46.8 ft northwest of the centerline of the east bound lanes of Rt. 460 near the crest of the median.	908.75
AZ 43	37 23 48.53894	79 10 03.44093	3668722.73	11288979.26	NAD 83	To reach the station from the intersection of Fort Ave. and Wythe Road go northwest on Wythe road for 0.1 mi to the intersection with Oakley Ave. at the bottom of the hill and the station on the right. The disk is 5.0 ft northwest of the STOP sign, 14.0 ft west of a water meter, 5.9 ft north of the back of curb, and 26.9 ft southeast of power pole # 502 E.	747.32

AZ 45	37 22 47.47613	79 08 24.89607	3662491.91	11296888.99	NAD 83	From the intersection of Campbell Ave. and Mayflower Drive head east on Campbell Ave. to Ford Street on the right. Turn right and go 0.2 mi to the point on the left. The disk is 32.9 ft southeast of pole # 871 L, 10.4 ft from AEP pole # 129-2257, 14.4 ft southeast of the center of Ford St. and 11.5 ft from the lower end of a concrete drain pipe.	817.95
AZ 46			3667605.12	11297337.86	NAD 83	DISK IS MISSING	654.05
AZ 47			3673551.557	11291996.210	NAD 83	DISK IS MISSING	728.75
AZ 48	37 21 27.79114	79 14 57.21235	3654665.89	11265161.88	NAD 83	From the intersection of Timberlake Road and Laxton Road just south of the City limits, take Laxton Rd. for 0.75 mi to the intersection where Laxton Rd. makes a right turn. Follow Laxton Road to the cul-de-sac (0.7 mi) and the station at the end. The disk is 23.9 ft northeast of the center of the cul-de-sac, 61.9 ft northwest of power pole #151-622, and 47.7 ft northwest of a black mailbox at 1820 Laxton Rd.	771.28
AZ 50	37 26 09.84762	79 09 49.56129	3683006.48	11290199.70	NAD 83	Ave. and Ash Street, one block east of the entrance to Riverside Park and approximately 1.8 mi west of the Rivermont Bridge. The disk is 11.2 ft from the back of walk of Rivermont Ave, 4.0 ft from the face of walk on Ash St, 14.12 southeast of the Block Corner at 2201 Rivermont, 31.20 ft northwest of the Block Corner at 2141 Rivermont, 0.5 ft behind the curb on Ash, and 26.2 ft northwest of pole # 81-163, C+P VA # 1191 A	745.47

AZ 56	37 21 35.48709	79 14 28.47939	3655425.916	11267487.650	NAD 83	From the intersection of Laxton Road and Enterprise Drive go north on Enterprise Dr for 0.8 mi to the station in the concrete median. The disk is 160.3 ft north of Northwynd Dr. 72.7 ft southeast of light pole # 2036, 69.0 ft west of light pole # 2035, and 7.5 ft south of the landscaped area in the median.	815.88
AZ 55	37 24 17.17137	79 13 32.37626	3671742.94	11272142.52	NAD 83	The station is located on the 501 by-pass 0.95 mi south of the Wiggington Road interchange. The disk is 11.6 ft east of the guard rail, and 14.5 ft south of a Traffic Warning sign, and 79.8 ft north of the corner of a Storm inlet. There is a witness post beside the Disk	781.52
AZ 54	37 24 07.24278	79 11 40.69581	3670671.006	11281145.670	NAD 83	From the intersection of Oakley Ave. and Lakeside Drive go west on Lakeside Dr. for 0.95 mi to Moormans Road and the station on the right. The disk is 70.5 ft east of the stop sign on Moormans Rd. 7.5 ft north of the painted line at the edge of pavement, 65.05 ft west of AEPCO pole # 104-83-3100	737.11
AZ 53	37 25 22.15457	79 12 28.39947	3678275.98	11277353.54	NAD 83	From the intersection of Langhorne Rd. and Cranehill Dr. head west on Cranehill till you get to Link Road. Turn left and go 0.2 mi and the station on the right in front of 2837 Link Rd. The disk is 5.5 ft southwest of a fire hydrant,17.2 ft northwest of the centerline of Link Road, an 49.8 ft northeast of power pole # 79-385	740.34
AZ 52	37 24 49.13696	79 10 24.66886	3674863.63	11287310.10	NAD 83	From the intersection of Memorial Ave. and Langhorne Road head northwest on Langhorne Rd. 0.7 mi to Tate Springs Road on the right. Turn right and go 0.1 mi to the station on the right near the entrance to Central National Bank. The Disk is 35.2 ft west of a Storm manhole in the driveway, 12.2 ft south of the curb on Tate Springs Road, 24.15 ft northwest of the southern leg of of the metal Bank sign, and 11.4 ft northeast of the back of	731.28

100	37 23 12.48473	79 10 33.26639	3665093.432	11286546.530	NAD 83	The station is on New Hampshire at the intersection with Fort Avenue, in the northeast corner. The disk is 12.1 ft northwest of AEPCO pole # 128-C4-5526, 56.5 ft southeast of the house corner (4073 Fort Ave), 1.95 ft northeast of the back of curb, 4.4 ft southwest of the face of walk, and 7.8 ft northwest from the access cover to the storm drain on the corner.	814.20
101	37 21 52.44583	79 10 54.94220	3657011.124	11284738.800		To reach the station from the intersection of Wards Road and Candlers Mt. Road head south on Wards Road 0.4 mi and the station is on the left, between Wards Road and Rt. 29 northbound ramp. The disk is96.1 ft southeast of AEPCO pole # 152-D1-1546, 45.0 ft west of light pole N-19, 58.6 ft north of AEPCO pole # 152-D1-1547,	801.22
102	37 21 37.58094	79 12 46.54206	3655574.298	11275718.592	NAD 83	From the intersection of Timberlake Road (business 460) and the Lynchburg Expressway (Rt. 501) go southwest on Timberlake Road 0.7 mi to the station on the right in the island in front of 7237 Timberlake Rd. The Disk is 1.8 ft behind the curb of the island, 8.6 ft in front of pole # 151-45,	838.81
103	37 23 57.22163	79 12 28.70935	3669686.275	11277264.123	NAD 02	From the intersection of Lakeside Drive and the Lynchburg Expressway go northeast on Lakeside Dr. for 0.9 mi to the intersection with Wyndale Drive, at the traffic light and the station on the southeast corner of the intersection. The Disk is 16.85 ft southwest of the traffic light pole, 20.22 ft south of a sewer manhole lid on the edge of pavement, 37.65 ft northeast of the corner of the back of curb, and 28.60 ft northwest of C&P pole #1982 / A.	757.54

104	37 26 58.50379	79 15 40.83373	3688141.278	11261910.009		The station is located on the east side of the intersection of Boonsboro Road (Rt. 501) and Coffee Road in front of 6202 Boonsboro Rd. The Disk is 13.0 ft. from the edge of pavement, 44.1 ft. northwest of a guy, 64.4 ft. from the edge of the driveway to 6202 Boonsboro rd, 4.1 ft. north of a highway sign post, and 35.5 ft northwest of Aepco pole # 54-127.	926.67
105	37 25 57.79100	79 16 05.58668	3682017.113	11259864.135	NAD 83	From the intersection of Boonsboro Road (Rt. 501) and Coffee Road go southwest on Coffee Rd. for 1.2 mi to Hawkins Mill Road. Turn left and go 0.3 mi to the station on the left. The disk is 71.5 ft southeast of a fire hydrant, 52.8 ft northwest of a telephone pedestal, and 6.6 ft east of the edge of pavement. The Disk is southeast from a service entrance to the Randolf Macon Riding Stables. There is a witness post beside the disk. From the intersection of Rt. 501 (Northwest By-Pass)	926.76
106	37 25 20.08361	79 14 48.68979	3678153.720	11266035.788	NAD 83	and Wiggington Road go northwest on Wiggington Rd. for 1.0 mi to the station on the right at the intersection with Marguerite Dr. The disk is 3.6 ft northeast of the corner of a storm inlet, 3.8 ft behind the curb, 30.83 ft from the corner of a rock wall entrance sign, 34.10 ft from a power pole, and 27.55 ft from the guy wire.	802.72
AZ 101	37 21 32.66688	79 10 51.09570	3655008.505	11285034.878	NAD 83	The station is on Wards Road near the traffic light at Rt. 29 S and the Hess Gas Station. The disk is 3.84 ft west of the back of sidewalk, 47.92 ft east of the corner of a DI, 52.54 ft southeast of the corner of a concrete headwall, and 18.63 ft northeast of a fire hydrant.	760.31

AZ 104	37 26 53.85315	79 15 38.24385	3687669.240	11262115.050	NAD 83	Pass go north on Rt. 501 / Boonsboro Rd. and the 501 By-Pass go north on Rt. 501 / Boonsboro Rd for 1.6 mi and the station on the left. The disk is in the landscaped area to the left of the entrance to 6097 Boonsboro Rd. 5.46 ft behind the curb, 85.35 ft northwest of a fire hydrant, 79.24 ft northwest of the southern front corner of the Boonsboro Animal Hospital, 94.46 ft from the other front corner, and 69.04 ft southeast of a power pole.	926.68
AZ 105	37 26 03.48552	79 16 07.62634	3682594.380	11259704.324		The station is on Alydar Place just off Hawkins Mill Road. The disk is 2.88 ft southeast of the back of curb, 20.95 ft northeast of the brick column at the southeast side of the entrance to Citation Run, 51.90 ft southeast of the brick column on the northwest side of the entrance to Citation Run.	929.02
AZ 10€	37 25 23.06805	79 14 51.82422	3678457.560	11265785.347	NAD 83	From the intersection of Rt. 501 By-Pass and Wiggington Road, go northwest on Wiggington Rd for 1.1 mi and the station is on the left between 1325 and 1331 Wiggington Rd. The disk is 6.15 ft southwest of the back of curb, 38.58 ft northwest of a brick column at the driveway to 1325 Wiggington Rd,41.71 ft north of a basketball goal post, 25.1 ft east of AEPCO pole # 79-B-255, and 78.92 ft northeast of the corner of a chain link fence.	813.85
107	37 26 22.07321	79 11 08.91841	3684288.700	11283808.680	NAD 83	The station is located approximately 200 feet west of the intersection of Rivermont Avenue with Rivermont Terrace between the sidewalk and the road on the south side of Rivermont Ave. The disk is 5.90 ft from the back of curb, 49.8 ft southeast from a DI & the back of curb,54.9 ft southeast of a man hole in the sidewalk, and 46.4 ft northwest of a man hole in the sidewalk.	777.54

108	37 22 20.41773	79 11 38.39170	3659865.670	11281252.150	NAD 83	The station is located in the southwest corner of the intersection of Fort Avenue and John Lynch Place. The disk is 21.6 ft southeast of the DI &the back of curb on Fort Ave, 28.9 ft northwest of the end of curb on the west side of John Lynch Place, 65.0 ft southwest of a DI in the median on Fort Ave, and 8.4 ft behind the back of curb.	841.82
109	37 24 57.18206	79 08 26.21145	3675610.360	11296872.23	NAD 83	The station is located at the intersection of Jefferson St. and 9th Street on the southwest corner. The disk is set in the sidewalk 5.80 ft behind a granite curb, 13.50 ft from a water meter, 7.60 ft from the joint of the brick and flagstone walks, and 1.54 ft from the corner of the block wall.	547.90
110	37 23 29.45110	79 05 37.47768	3666648.851	11310427.808		To reach the station from the intersection of Concord Tnpk. And Richmond Highway (old Rt. 460), go east on Richmond Highway for 0.4 mi to the Shekinah Glory Baptist Church on the right. The station is on the left side of the driveway entrance. The disk is 32.8 ft from the edge of pavement of the east bound lane, 16.5 ft from the guy wire, 15.5 ft from the edge of the parking lot, and 17.7 ft from the AEPCO pole # 130-C1-288.	683.79
111	37 27 47.71412	79 11 14.51692	3692953.558	11283420.259	NAD 83	The station is near the intersection of Old Trents Ferry Rd. and Hydro St at the Reusens Power Sub-station and Dam beside a gravel drive. The Disk is 17.2 ft. southwest of the west rail of the N&S Railroad track, 61.7 ft southeast of the corner of a metal bldg (4200 Hydro St.), 15.25 ft west of a ring in a rock outcrop with a "X" filed in it, and 5.3 ft. north of a power pole.	559.01